### A Length-reduced Microstrip Line with Inductive and Capacitive Perturbations

Jongsik Lim<sup>1</sup>, Kyunghoon Kwon<sup>1</sup>, Kolet Mok<sup>2</sup>, Yongchae Jeong<sup>2</sup>, Sang-Min Han<sup>1</sup>, and Dal Ahn<sup>1</sup>

<sup>1</sup>Soonchunhyang University, Republic of Korea <sup>2</sup>Chonbuk National University, Republic of Korea

**Abstract**— It is well known that the characteristic line impedance  $(Z_c)$  of ideal transmission lines strongly depends on the ratio of equivalent inductance (L) to capacitance (C) per unit length, and is expressed as  $Z_c = (L/C)^{1/2}$ . Fig. 1 shows the normal structure of microstrip line. The properties of microstrip transmission lines change when a periodic perturbation structure is added to dielectric substrates. Representatively, if DGS (defected ground structure) or PBG (photonic bandgap) patterns (Fig. 2), which are equivalently inductive-adding structures, combine with a normal microstrip line, the  $Z_c$  and electrical length increase. So the line width increases and physical length becomes shorter if compared to normal microstrip lines for a specified line impedance and electrical length. Similarly when a capacitive-adding perturbation such as SIAD (substrate integrated artificial dielectric) structure (Fig. 3) is combined with a microstrip line, the  $Z_c$  becomes lower and electrical length increases. So the line width is getting narrower and physical length becomes shorter for the specified line impedance and electrical length. Even though the physical length can be reduced effectively by adding a perturbation structure, however sometimes the resultant line width may be too narrow to be realized or abnormally wide to be treated as a transmission element In order to solve this problem, the microstrip line structure with both DGS(inductive)- and SIAD(capacitive)-adding perturbations is proposed in this work (Fig. 4) Because the inductive- and capacitive-adding perturbation structures lead to the increased and decreased line width, respectively, the final line width with both perturbations is close to that of the normal microstrip line for a specified  $Z_c$  (Table 1). It is noted that the physical length of the microstrip line with both perturbations for a fixed electrical length is shorter than the other three lines; normal one, DGS-loaded one, and the microstrip line with SIAD structure So the proposed microstrip line with both perturbations can be widely applied in reducing the size of high frequency circuits.






Figure 1. Figure 2. Figure 3.



	Normal	With	With	With
	Line	DGS	SIAD	DGS+SIAD
Width $(W)$	2.87	3.87	1.28	1.68
$\lambda/4@1\mathrm{GHz}$	53.71	44.31	41.92	33.77
Remarks	$H = (31 + 5) \text{ mils} = 36 \text{ mils}, \ \varepsilon_r = 2.2,$			
	$T = 0.018 \text{mm},  Z_c = 50 \Omega,  \text{Unit} = \text{mm}$			

Figure 4. Table 1.



- 16:40 Body-effect-adaptive Compact Wideband LTE MIMO Antenna Array with Quad Elements for Mobile Terminals
  - Shuai Zhang (Royal Institute of Technology, Sweden); Kun Zhao (School of Electrical Engineering, KTH-Royal Institute of Technology, Sweden); Zhinong Ying (Sony Ericsson Mobile Communications AB, Sweden); Sailing He (Royal Institute of Technology, KTH-ZJU Joint Research Center of Photonics, Sweden);
- 17:00 Multiple-feed Coupling Measurements for Luneburg Lens Antenna

  Debora Franco-Vazquez (Universidade de Vigo, Spain); María Vera-Isasa (Universidad de Vigo, Spain); M. Edita De Lorenzo Rodriguez (Universidad de Vigo, Spain);
- 17:20 Planar MIMO Antenna System for Laptop Applications

  Amira El-Tokhy Ali (Modern Science and Arts University (MSA), Egypt); Deena A. Salem (Electronics Research Institute, Egypt);
- 17:40 The Study of Loss Effect on the LTE MIMO Antenna in Mobile Handset

  Kun Zhao (KTH-Royal Institute of Technology, Sweden); Shuai Zhang (Royal Institute of Technology, Sweden); Zhinong Ying (Sony Ericsson Mobile Communications AB, Sweden); Erik Bengtsson (Sony Mobile Communications AB, Sweden); Sailing He (KTH-Royal Institute of Technology, Sweden);

## Session 4P7 Microwave and Millimeter Wave Circuits and Devices, CAD

#### Thursday PM, August 15, 2013

#### Room G

Chaired by Martin Norgren

- 13:20 Asymetrical Interdigital Dual-band Bandpass Filter Using Grounded inside Arms with via Holes

  Ram Krishna Maharjan (Kwangwoon University,
  South Korea); Nam-Young Kim (Kwangwoon University, Republic of Korea);
- 13:40 Low Profile Planar Composite Inductor Design for High Power Applications Abdullah Eroglu (Indiana University-Purdue University, USA);

- 14:00 A Design of Multi-harmonics Load Network for Class-S Power Amplifier

  Girdhari Chaudhary (Chonbuk National University,
  Republic of Korea); Phirun Kim (Chonbuk National University, Republic of Korea); Yongchae Jeong
  (Chonbuk National University, South Korea); Chansei Yoo (Korea Electronics Technology Institute (KETI), Korea);
- 14:20 Systematic Study of the Effective Permittivity in a Periodically Drilled Substrate Integrated Waveguide Rodrigo Isidro (Universidad Miguel Hernández de Elche, Spain); Angela Coves Soler (Universidad Miguel Hernández de Elche, Spain); Miguel Ángel Sanchez-Soriano (Universite Bretagne Occidentale, France); German Torregrosa-Penalva (Universidad Miguel Hernández de Elche, Spain); Enrique Bronchalo (Universidad Miguel Hernández de Elche, Spain); Maurizio Bozzi (University of Pavia, Italy);
- 14:40 Design of a Single-board Two-port Analyzer for Microwave Dielectrometry

  Roberto Olmi (Institute of Applied Physics N.

  Carrara-CNR, Italy); Filippo Micheletti (Institute for Applied Physics National Research Council IFAC-CNR, Italy);
- 15:00 A 2.45 GHz High Figure-of-Merit Reflection Type Phase Shifter

  François Burdin (University of Grenoble, France);
  Zyad Iskandar (LAIR/DACLE, CEA/Léti, France);
  Florence Podevin (University of Grenoble, France);
  Philippe Ferrari (University of Grenoble, France);

#### 15:20 Coffee Break

- 15:40 A Compact Hybrid EBG Microstrip Bandstop Filter for Digital Clock Suppression in a Power Supply System
  - Raul Peña Rivero (National Polytechnique Institute, Mexico); A. Mendoza-Tellez (National Polytechnique Institute, Mexico); Roberto Linares-Miranda (National Polytechnique Institute, Mexico); J. A. Tirado-Mendez (National Polytechnique Institute, Mexico);
- 16:00 Switchable Band-stop to All Pass Filter Using Stepped Impedance Resonator

  Amine Adoum Bakhit (Universiti Teknologi PETRONAS, Malaysia); Peng Wen Wong (Universiti Teknologi PETRONAS, Malaysia);
- 16:20 Study of Dynamic-periodic Transmission Lines

  Jose Roberto Reyes Ayona (Instituto Nacional de Astrofisica Optica y Electronica, Mexico); Peter Halevi
  (Instituto Nacional de Astrofisica, Optica y Electronica (INAOE), Mexico);

- 16:40 A Length-reduced Microstrip Line with Inductive and Capacitive Perturbations
  - Jongsik Lim (Soonchunhyang University, Republic of Korea); Kyunghoon Kwon (Soonchunhyang University, Republic of Korea); Kolet Mok (Chonbuk National University, Republic of Korea); Yongchae Jeong (Chonbuk National University, South Korea); Sang-Min Han (Soonchunhyang University, Korea); Dal Ahn (Soonchunhyang University, Korea);
- 17:00 Effect of the Ionizing Radiation on the Harmonic and Intermodulation Performance of the CMOS Inverting Amplifier

  Muhammad, Taher, Abuelma'atti (King, Fahd, Univer-
  - Muhammad Taher Abuelma'atti (King Fahd University of Petroleum and Minerals, Saudi Arabia);
- 17:20 Design Optimization of Microstrip Matching Circuits
  Using a Honey Bee Mating Algorithm Subject to the
  Transistor's Potential Performance
  Peyman Mahouti (University Istanbul, Turkey);
  Salih Demirel (Yildiz Technical University, Turkey);
  Filiz Gunes (Yildiz Technical University, Turkey);

#### Session 4P8a Medical Electromagnetics, Biological Effects

#### Thursday PM, August 15, 2013 Room H

Chaired by Qiu Qiang Zhan

- 13:00 Electromagnetic Information Delivery as a New Perspective in Medicine
  - Alberto Foletti (University of Applied Sciences of Southern Switzerland-SUPSI, Switzerland); Settimio Grimaldi (Institute of Neurobiology and Molecular Medicine (INMM), National Research Council (CNR), Italy); Mario Ledda (Istituto di Neurobiologia e Medicina Molecolare, C.N.R., Italy); Antonella Lisi (Istituto di Neurobiologia e Medicina Molecolare, CNR, Italy);
- 13:20 A Novel Conformal Antenna for Ingestible Capsule Endoscopy in the MedRadio Band

  Konstantinos A. Psathas (National Technical University of Athens, Greece); Asimina Kiourti (National Technical University of Athens, Greece); Konstantina S. Nikita (National Technical University of Athens, Greece);

- 13:40 Impact of Electromagnetic Field Generated by Mobile Phone on Prooxidant-antioxidant Balance in Selected Internal Organs of Rats
  - Pawel Sowa (Silesian University of Technology, Poland); Karolina Sieron-Stoltny (Medical University of Silesia, Poland); Grzegorz Jan Cieslar (Medical University of Silesia, Poland); Aleksander Sieron (Medical University of Silesia, Poland);
- 14:00 Electric and Magnetic Fields Due to the Operation of Roof Mounted Photovoltaic Systems Anastasia S. Safigianni (Democritus University Thrace, Greece); Aristotle M. Tsimtsios (Democritus University Thrace, Greece);
- $\begin{array}{lll} 14:20 & \hbox{Experimental Study about the Thermal Effects of EM} \\ \hbox{Sources on Human Skin Tissue} \\ A. & Yasin & Citkaya & (Bogazici & University, & Turkey); \end{array}$ 
  - S. Selim Seker (Bogazici University, Turkey); Osman Cerezci (Sakarya University, Turkey);
- 14:40 Optimized Nanocage for Cancer Photothermal Therapy and Comparison with Other Nanoparticles

  Sameh Kessentini (University of Technology of Troyes, France); Dominique Barchiesi (University of Technology of Troyes, France);

#### Session 4P8b

SC3: Nonlinear Optics: Structured Materials, Functional Devices and Applications 2

#### Thursday PM, August 15, 2013 Room H

Organized by Chia Chen Hsu, Shiming Gao Chaired by Roberto Caputo, Shiming Gao

- 15:00 Dynamic Frequency Conversion in an Ultrahigh-Q invited Fiber Grating Cavity
  - Zhangwei Yu (Royal Institute of Technology (KTH), Sweden); Irina V. Kabakova (University of Sydney, Australia); Patrik Rugeland (Institute of Technology (KTH), Sweden); Pierre-Yves Fonjallaz (Acreo Swedish ICT AB, Sweden); Oleksandr Tarasenko (Acreo Swedish ICT AB, Sweden); C. Martijn de Sterke (University of Sydney, Australia); Walter Margulis (Royal Institute of Technology (KTH), Sweden);
- 15:20 Coffee Break
- 15:40 Third Harmonic Generation by Optimized Hyperfine Aperiodic Optical Superlattice

  Cheng-Wei Hsu (National Tsing Hua University, Taiwan); Jui-Yu Lai (National Tsing Hua University, Taiwan); Shangda Yang (National Tsing Hua University, Taiwan);

# $\begin{array}{c} {\bf Session~4P7}\\ {\bf Microwave~and~Millimeter~Wave~Circuits~and~Devices,}\\ {\bf CAD} \end{array}$

Ram Krishna Maharjan, Nam-Young Kim,
Low Profile Planar Composite Inductor Design for High Power Applications
Abdullah Eroglu,
A Design of Multi-harmonics Load Network for Class-S Power Amplifier
Girdhari Chaudhary, Phirun Kim, Yongchae Jeong, Chan-Sei Yoo,
Systematic Study of the Effective Permittivity in a Periodically Drilled Substrate Integrated Waveguide
Rodrigo Isidro, Angela Coves Soler, Miguel Ángel Sanchez-Soriano, German Torregrosa-Penalva,
Enrique Bronchalo, Maurizio Bozzi,
Design of a Single-board Two-port Analyzer for Microwave Dielectrometry
Roberto Olmi, Filippo Micheletti,
A 2.45 GHz High Figure-of-Merit Reflection Type Phase Shifter
François Burdin, Zyad Iskandar, Florence Podevin, Philippe Ferrari,
A Compact Hybrid EBG Microstrip Bandstop Filter for Digital Clock Suppression in a Power Supply
System
Raul Peña Rivero, A. Mendoza-Tellez, Roberto Linares-Miranda, J. A. Tirado-Mendez,
Switchable Band-stop to All Pass Filter Using Stepped Impedance Resonator
Amine Adoum Bakhit, Peng Wen Wong,
Study of Dynamic-periodic Transmission Lines
Jose Roberto Reyes Ayona, Peter Halevi,
A Length-reduced Microstrip Line with Inductive and Capacitive Perturbations
Jongsik Lim, Kyunghoon Kwon, Kolet Mok, Yongchae Jeong, Sang-Min Han, Dal Ahn,
Effect of the Ionizing Radiation on the Harmonic and Intermodulation Performance of the CMOS Inverting
Amplifier
Muhammad Taher Abuelma'atti,
Design Optimization of Microstrip Matching Circuits Using a Honey Bee Mating Algorithm Subject to
the Transistor's Potential Performance