

15:20 Dispersion Characteristic of Elliptical Waveguide under New Boundary Condition Shamini Pillay Narayanasamy Pillay (Multimedia University); Deepak Kumar (Multimedia University);

15:40 Coffee Break

Session 3P4b SC1: Computational Techniques in Electromagnetics and Applications

Friday PM, August 3, 2018 Room T4

Organized by Yoichi Okuno, Tsuneki Yamasaki Chaired by Yoichi Okuno, Tsuneki Yamasaki

- 16:00 Numerical Analysis of a Leapfrog ADI-FDTD Method for Metamaterial Maxwell's Equations Meng Chen (Xiangtan University); Yunging Huang (Xiangtan University); Jichun Li (University of Nevada, Las Vegas);
- 16:20 A Grating-based Plasmon Index Sensor: Possibility of Workspaces with Tractable Minimal TM Efficiencies Xun Xu (Kyushu Sangyo University); Miaoning Zheng (South China Normal University); Yoichi Okuno (South China Normal University);
- 16:40 Analysis of Inter-Bundle Crosstalk in High Speed MIMO Signalling in Powerline Communication Chan-Modisa Mosalaosi (University of KwaZulu-Natal); Thomas Joachim Odhiambo Afullo (University of KwaZulu-Natal (UKZN));
- 17:00 Numerical Analysis of Pulse Reflection Response from Conducting Strips in Dispersion Media with Air Layer Ryosuke Ozaki (Nihon University); Tsuneki Yamasaki (Nihon University);
- 17:20 Scattering of Electromagnetic Wave by a Rectangular Cylinder Consist of Conducting Strips TsunekiYamasaki. (Nihon University);Toshiki Shibayama (Nihon University);Ryousuke Ozaki (Nihon University);

Session 3P5 SC4: Advanced Antenna and RF Circuits

Design

Friday PM, August 3, 2018 Room T5

Organized by Malay Ranjan Tripathy, Yongchae Jeong

Chaired by Malay Ranjan Tripathy, Yongchae Jeong

- 13:00 Effect of Mutual Coupling within Elements of Arrayunits Beyond Full Wavelength Element Spacing for Linear Arrays Jacob Adopley (Ghana Technology University College);
- 13:20 Design of a Size-reduced Microwave Amplifiers Using an Asymmetrical Spiral-DGS JongsikLim(Soonchunhyang University): PhanamPech(Chonbuk NationalUniversity);Heeyoun Choi(Chonbuk National University);Yongchae Jeong (Chonbuk National University);Sang-Min Han (Soonchunhyang University); Dal Ahn (Soonchunhyang University);
- 13:40 $\lambda/2$ Stepped Impedance Resonator Parallel/Antiparallel Coupled-line Bandpass Filter with a Wide Stopband Characteristic Phirun Kim(Chonbuk)NationalUniversity);PhanamPech(Chonbuk NationalUniversity): Girdhari Chaudhary (Chonbuk National University); Jongsik Lim (Soonchunhyang University); Malay Ranjan Tripathy (Amity University Uttar Pradesh); Yongchae Jeong (Chonbuk National University);
- 14:00 Flexible Printed Active Antenna for Digital Television Reception Teerapong Pratumsiri (Chulalongkorn University); Panuwat Janpuqdee (Chulalongkorn University);
- 14:20 Reliability Ranking of Nodes: A Case of Revolution Priya Ranjan (Amity University Uttar Pradesh); Harshit Pandey (Amity University Uttar Pradesh); Malay Ranjan Tripathy (Amity University Uttar Pradesh); Cher-Ming Tan (Chang Gung University); Saumay Pushp (KAIST);
- 14:40 A Compact Slotted 4 Element Large Wideband MIMO Antenna for Wireless Application Bishal Mishra (Amity University Uttar Pradesh); Rehan Ahmed Siddiqui (Amity University Uttar Pradesh); Malay Ranjan Tripathy (Amity University Uttar Pradesh); Daniel Ronnow (University of Gavle);

- 15:00 An X-band 16-element Switched-beam Antenna Array with Butler Matrix Network

 Chao-Hsiung Chang (National Taiwan University of Science and Technology); Jheng-Yuan Huang (National Taiwan University of Science and Technology);

 Chun-Hao Tseng (National Taiwan University of Science and Technology);
- 15:20 Wideband Flat Group Delay Circuit for Selfinterference Cancellation in Full Duplex Girdhari Chaudhary (Chonbuk National University); Qi Wang (Chonbuk National University); Malay Ranjan Tripathy (Amity University Uttar Pradesh); Yongchae Jeong (Chonbuk National University);

15:40 Coffee Break

- 16:00 Slot-coupled Circularly Polarized SIW Antenna Array for 5G Apllication

 Rehan Ahmed Siddiqui (Amity University Uttar Pradesh); Bishal Mishra (Amity University Uttar Pradesh); Malay Ranjan Tripathy (Amity University Uttar Pradesh); M. S. Prasad (Amity University Uttar Pradesh);
- 16:20 A Novel 1–6 GHz Chaotic Signal Oscillator for Broadband Communication Systems

 Shanwen Hu (Nanjing University of Posts and Telecommunications); Shu Yu (Nanjing University of Posts and Telecommunications); Yunqing Hu (Nanjing University of Posts and Telecommunications); Zixuan Wang (Nanjing University of Posts and Telecommunications); Bo Zhou (Nanjing University of Posts and Telecommunications);
- 16:40 A Novel UWB Quadrifilar Plannar Spiral Antenna
 Hesham M. Elkady (Higher Institute of Engineering
 and Technology in New Damietta); Haythem Hussein Abdullah (Electronics Research Institute (ERI));
 Saad M. Darwish (Alexandria University);
- 17:00 Design of a Ring Oscillator with Temperature and Process Compensation Adopting a Novel Method Jian-Chang Du (Southeast University); Zhigong Wang (Southeast University); Xi Chen (Southeast University); Jian Xu (Southeast University); Bing-Bing Ma (Southeast University);
- 17:20 Miniaturized Wilkinson Power Divider with DC Isolation
 Sichen Xie (Sophia University); Hitoshi Hayashi (Sophia University);
- 17:40 A Wideband Circularly Polarized Dipole Antenna with Crossed Configuration

 Min-Cheol Hong (Hoseo University); Ju-Heun Lee (Hoseo University); Jeong-Taek Oh (Hoseo University); Sang-Min Han (Soonchunhyang University); Won-Sang Yoon (Hoseo University);

18:00 (T-shaped Slot Loaded Rectangular Patch Antenna with Enhanced Bandwidth Using Defected Ground Structure)

Nagendra Prasad Yadav (Nanjing University of Science and Technology); Malay Ranjan Tripathy (Amity University Uttar Pradesh); Yongchae Jeong (Chonbuk National University);

18:20 Vertical Polarized 1-D Series-fed 1 × 2 Linear Array for X-band Synthetic Aperture Radar Applications Venkata Kishore Kothapudi (Vellore Institute of Technology (VIT)); Vijay Kumar (Vellore Institute of Technology (VIT)); Lakshman Pappula (Koneru Lakshmaiah Education Foundation); Balveer Painam (Koneru Lakshmaiah Education Foundation);

Session 3P6a

SC1: Radar Cross Section and Inverse Problems in Electromagnetics

Friday PM, August 3, 2018 Room T6

Organized by Yury Vladimirovich Yukhanov, Yury V. Shestopalov

Chaired by Yury Vladimirovich Yukhanov, Yury V. Shestopalov

- 13:00 Optimization Method in 2D DC Cloaking Problems

 Gennady V. Alekseev (Institute of Applied Mathematics FEB RAS); Dmitry A. Tereshko (Institute of Applied Mathematics FEB RAS); Elizaveta O. Paklina

 (Far Eastern Federal University);
- 13:20 Broadband RCS Reduction Using Digital Impedance Metasurfaces with 2-bit Coding of Axes of Anisotropy and Eigen Reactances Andrey I. Semenikhin (Southern Federal University); Diana V. Semenikhina (Southern Federal University); Yury Vladimirovich Yukhanov (Southern Federal University); P. V. Blagovisnyy (Southern Federal University);
- 13:40 Synthesis of a Two-focal Impedance Reflector of Arbitrary Shape
 - Yury Vladimirovich Yukhanov (Southern Federal University); Tatyana Yurievna Privalova (Southern Federal University); Timur O. Amirokov (Southern Federal University); E. E. Privalov (Southern Federal University);

T-shaped Slot Loaded Rectangular Patch Antenna with Enhanced Bandwidth Using Defected Ground Structure

N. P. Yadav¹, Malay Ranjan Tripathy², and Yongchae Jeong³

¹School of Electronic Engineering and Optoelectronic Technology
 Nanjing University of Science and Technology, 210094, China

 ²Department of Electronics and Communication Engineering

 ASET, Amity University Uttar Pradesh, Noida U.P., 201313, India
 ³Division of Electronic Engineering, Chonbuk National University
 567 Baekje-daero, Deokjingu, Jeonju-si, Jellabuk-do 54896, Republic of Korea

Abstract— This manuscript represents the T-shaped slot loaded stacked patch with D.G.S. (Defected Ground Structure) for the application of UWB. The antenna has an overall size of 30.8 mm by 24.4 mm and gives a bandwidth near about 77.4% from 5.3 GHz to 12.0 GHz at center frequency of 8.65 GHz. Without DGS, antenna work like dual band antenna. Maximum gain of the UWB antenna is 5.84 dBi with DGS and 9.20 dBi without DGS. The proposed antenna has been analyzed using IE3D electromagnetic solver, which is based on MOM method.

REFERENCES

- 1. Sanjeeva Reddy, B. R. and D. Vakula, "Compact zigzag-shaped-slit microstrip antenna with circular defected ground structure for wireless applications," *IEEE Antenna and Wireless Propagation Letters*, Vol. 14, 678–681, February 2015.
- 2. Liang, J. X., C. C. Chiau, X. D. Chen, and C. G. Parini, "Study of a printed circular disc monopole antenna for UWB systems," *IEEE Transactions on Antennas and Propagation*, Vol. 53, No. 11, 3500–3504, November 2005.
- 3. Ooi, B. L., G. Zhao, M. S. Leong, K. M. Chua, and C. W. Lu Albert, "Wideband LTCC CPW-fed two layered monopole antenna," *IEEE Electronics Letters*, Vol. 41, No. 16, 889–890, August 2005.
- 4. Sung, Y., "Triple band-notched UWB planar monopole antenna using a modified H-shaped resonator," *IEEE Transactions on Antennas and Propagation*, Vol. 61, No. 2, 953–957, February 2013.
- 5. Ojaroudi, M., N. Ojaroudi, and N. Ghadimi, "Dual band-notched small monopole antenna with novel coupled inverted U-ring strip and novel fork-shaped slit for UWB applications," *IEEE Antenna and Wireless Propagation Letters*, Vol. 12, 182–185, February 2013.